

## **LOTRIMIN ULTRA ATHLETES FOOT- butenafine hydrochloride cream**

**Bayer Healthcare LLC.**

-----

**Lotrimin Ultra<sup>®</sup>**

**Athlete's Foot**

***Drug Facts***

### **Active ingredient**

Butenafine hydrochloride 1%

### **Purpose**

Antifungal

### **Uses**

- cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
- cures most jock itch and ringworm
- relieves itching, burning, cracking, and scaling which accompany these conditions

### **Warnings**

**For external use only**

### **Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

**When using this product** do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or irritation gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 12 years and older:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot between the toes:** apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
  - **for jock itch and ringworm:** apply once a day to affected skin for 2 weeks or as directed by a doctor
  - wash hands after each use
- children under 12 years: ask a doctor

### **Other information**

- do not use if seal on tube is broken or not visible
- store between 20° to 25°C (68° to 77°F)

### Inactive ingredients

benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trolamine, white petrolatum

Distributed by Bayer HealthCare LLC, Whippany, NJ 07981

### PRINCIPAL DISPLAY PANEL - 12 g Tube Carton

LOTTRIMIN ULTRA®

butenafine hydrochloride cream 1%

ANTIFUNGAL

NET WT 12g (0.42 OZ)



S-07-07

CODE AREA  
NO INK/NO VARNISH

butenafine hydrochloride cream 1% ANTIFUNGAL NET WT 12g (0.42 OZ)

Questions? 1-866-360-3226 or visit us at [www.lotrimin.com](http://www.lotrimin.com)

RECYCLABLE

11017-408-19

0 2

**LOTTRIMIN ULTRA**

PRESCRIPTION STRENGTH

**LOTTRIMIN ULTRA**

PRESCRIPTION STRENGTH

© 2015 Bayer. Dist by: Bayer Healthcare LLC, Whippany, NJ 07981 Product of Japan. 61281558

Questions? 1-866-360-3226 or visit us at [www.lotrimin.com](http://www.lotrimin.com)

Bayer

**Purpose**  
Antifungal

**Drug Facts**  
Butenafine hydrochloride 1%.....

**Uses**  
■ cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.  
■ cures most foot itch and ringworm ■ relieves itching, burning, cracking, and scaling which accompany these conditions

**Warnings**  
For external use only  
Do not use ■ on nails or scalp ■ in or near the mouth or the eyes ■ for vaginal yeast infections  
When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.  
Stop use and ask a doctor if too much irritation occurs or irritation gets worse  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
■ adults and children 12 years and older:  
■ use the tip of the cap to break the seal and open the tube  
■ wash the affected skin with soap and water and dry completely before applying  
■ for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.  
■ for foot itch and ringworm: apply once a day to affected skin for 2 weeks or as directed by a doctor  
■ wash hands after each use  
■ children under 12 years: ask a doctor

**Other information**  
■ do not use if seal on tube is broken or not visible  
■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, stearic acid, trioleamine, white petrolatum



Apply between and around the toes  
1 week twice a day or 4 weeks once a day

## LOTTRIMIN ULTRA ATHLETES FOOT

butenafine hydrochloride cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-4338
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUTENAFINE HYDROCHLORIDE (UNII: R8XA2029ZI) (BUTENAFINE -	BUTENAFINE	1 g

UNII:91Y494NL0X)			HYDROCHLORIDE		in 100 g
Inactive Ingredients					
Ingredient Name					Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)					
CETYL ALCOHOL (UNII: 936JST6JCN)					
GLYCERIN (UNII: PDC6A3C0OX)					
CETETH-23 (UNII: 495CTZ441V)					
PROPYLENE GLYCOL DICAPRYLATE (UNII: 581437HWX2)					
WATER (UNII: 059QF0KO0R)					
SODIUM BENZOATE (UNII: OJ245FE5EU)					
STEARIC ACID (UNII: 4ELV7Z65AP)					
TROLAMINE (UNII: 9O3K93S3TK)					
PETROLATUM (UNII: 4T6H12BN9U)					
Product Characteristics					
Color	white (white to off white)			Score	
Shape				Size	
Flavor				Imprint Code	
Contains					
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:11523-4338-1	1 in 1 CARTON	02/22/2002		
1		12 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:11523-4338-2	1 in 1 CARTON	02/22/2002		
2		15 g in 1 TUBE; Type 0: Not a Combination Product			
3	NDC:11523-4338-4	1 in 1 CARTON	02/22/2002		
3		30 g in 1 TUBE; Type 0: Not a Combination Product			
Marketing Information					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA		NDA021307	02/22/2002		

**Labeler** - Bayer Healthcare LLC. (112117283)